

COMMERCIAL KITCHEN VENTILATION PRODUCTS

DINER



RESTAURANT



GRILLE



EATERY



CAFETERIA



CAFE



KITCHEN



Commercial Kitchen Ventilation Products

VCR/VCR-HP/VCR-XP

Spun Aluminum
UL 762 Grease Laden Air
Kitchen Exhaust
Roof Mounted Upblast
Wall Mount Available
through Size 245
Belt Drive
Wheel Sizes: 10" - 49"
Capacity: 279 - 28,800 CFM
Static Pressure: 0" - 4.5"



VCRD/VCRD-HP/VCRD-XP

Spun Aluminum
UL 762 Grease Laden Air
Kitchen Exhaust
Roof Mounted Upblast
Wall Mount Available
through Size 195
Direct Drive
Wheel Sizes: 10" - 19.5"
Capacity: 399 - 2,210 CFM
Static Pressure: 0" - 1.75"



Gemini GC 122-184

Injected Molded Housing & Wheel
Galvanized Steel Inlet Box
Injected Molded Grille
General Exhaust
Ceiling Mounted
Wheel Sizes: 5.625" - 7.625"
Capacity: 50 - 253 CFM
Static Pressure: 0" - .875"



ACRUB/ACRUB-HP/ACRUB-XP

Spun Aluminum
Kitchen Exhaust
Roof Mounted Upblast
Wall Mount Available
through Size 245
Belt & Direct Drive
Wheel Sizes: 10" - 49"
Capacity: 279 - 28,800 CFM
Static Pressure: 0" - 4.5"



Gemini GC 220-740

Galvanized Housing & Wheel
Steel Grille
General Exhaust
Ceiling, Wall or Inline Mounted
Wheel Sizes: 4.75" - 6.31"
Capacity: 75 - 852 CFM
Static Pressure: 0" - .875"



ACRUD/ACRUD-HP/ACRUD-XP

Spun Aluminum
Kitchen Exhaust
Roof Mounted Upblast
Wall Mount Available
through Size 195
Belt & Direct Drive
Wheel Sizes: 10" - 19.5"
Capacity: 399 - 2,210 CFM
Static Pressure: 0" - 1.75"



Gemini GC 822-960

Galvanized Housing & Wheel
Steel Grille
General Exhaust
Ceiling, Wall or Inline Mounted
Wheel Size: 8"
Capacity: 637 - 1,807 CFM
Static Pressure: 0" - .754"



Gemini GC 1000-2000

Galvanized Housing & Wheel
Steel Grille
General Exhaust
Ceiling, Wall or Inline Mounted
Wheel Size: 8" - 9.5"
Capacity: 1,031 - 3,471 CFM
Static Pressure: 1" - 1.0"



ACEB/ACED

Spun Aluminum
General Exhaust
Roof Mounted Downblast
Belt & Direct Drive
Wheel Sizes: 6" - 54"
Capacity: 41 - 32,307 CFM
Static Pressure: 0" - 1.5"



SQN-B/SQN-HP

Galvanized
Aluminum Wheel
General Supply or Exhaust
Square Inline
Side Discharge
Belt Drive
Wheel Sizes: 10" - 40.25"
Capacity: 50 - 27,000 CFM
Static Pressure: 0" - 3.0"



TCND

LORENIZED® Housing
Aluminum Wheel
General Supply or Exhaust
Duct Mounted
Inline
Direct Drive
Wheel Sizes: 10" - 16.5"
Capacity: 145 - 5,010 CFM
Static Pressure: 0" - 3.0"



SQN-D

Galvanized
Aluminum Wheel
General Supply or Exhaust
Square Inline
Direct Drive
Wheel Sizes: 7" - 16.5"
Capacity: 179 - 4,381 CFM
Static Pressure: 0" - 2.0"



TCN/TCNH

LORENIZED® Housing
Aluminum Wheel
General Supply or Exhaust
Duct Mounted
Inline
Belt Drive
Wheel Sizes: 10" - 49"
Capacity: 50 - 46,000 CFM
Static Pressure: 0" - 4.0"




SQI-B/SQI-HP

LORENIZED® Steel
Aluminum Wheel
General Supply or Exhaust
Booster Fan
Square Inline
Belt Drive
Wheel Sizes: 10" - 40.25"
Capacity: 600 - 25,900 CFM
Static Pressure: 0" - 3.5"



QMX/QMX-HP

LORENIZED® Housing
Cook Contour™ Steel Wheel
UL 762 Grease Laden
Air Available
General Supply or Exhaust
Duct Mounted
Mixed-Flow Inline
Belt Drive
Wheel Sizes: 9" - 60"
Capacity: 500 - 119,500 CFM
Static Pressure: 0.25" - 8.0"



Shown in optional COOK Easy Clean Powder Coating

SQID

LORENIZED® Steel
Aluminum Wheel
General Supply or Exhaust
Booster Fan
Square Inline
Direct Drive
Wheel Sizes: 7" - 16.5"
Capacity: 170 - 4,906 CFM
Static Pressure: 0" - 2.0"



See catalogs for complete details!

KSPB

Galvanized Steel
General Supply,
Kitchen Supply
Roof Mounted,
Side Intake
Belt Drive
Wheel Sizes: 9" - 20"
Capacity: 500 - 12,000 CFM
Static Pressure: 0" - 1.75"



KSPD

Galvanized Steel
General Supply,
Kitchen Supply
Roof Mounted,
Side Intake
Direct Drive
Wheel Sizes: 4.75" - 8.5"
Capacity: 77 - 1,809 CFM
Static Pressure: 0" - .75"



ASP

Galvanized Steel
General Supply, Kitchen Supply
Roof Mounted
Hood Design
Belt Drive
Wheel Sizes: 9" - 20"
Capacity: 400 - 14,000 CFM
Static Pressure: 0" - 2.0"




ASP-T

Galvanized Steel
Extruded Aluminum Tiers
General Supply, Kitchen Supply
Roof Mounted
Belt Drive
Wheel Sizes: 9" - 20"
Capacity: 400 - 14,000 CFM
Static Pressure: 0" - 2.0"



LPB

Galvanized Steel, Low Profile
UL 762 Grease Laden Air
High Pressure
Kitchen Exhaust
Roof Mounted Upblast
Wall Mount Available
through size 245
Belt Drive
Wheel Sizes: 10" - 54"
Capacity: 315 - 55,624 CFM
Static Pressure: 0" - 3.0"



SRSB

Galvanized Steel
Tamper Proof
Roof Mounted Downblast
Belt Drive
Wheel Size: 10" - 27"
Capacity: 252 - 29,307 CFM
Static Pressure: 0" - 1.5"



ERV

Energy Recovery Ventilator

Belt Drive

Galvanized Steel Housing
Roof Mounted or Duct Mounted
Belt Drive
Heating/Cooling Coils Optional
Wheel Sizes: 9" - 20"
Capacity: 500-10,000 CFM
Static Pressure: 0" - 1.5"



Direct Drive

Galvanized Steel Housing
Indoor Duct Mounted
Direct Drive
Wheel Sizes: 9" - 10"
Capacity: 42-1,150 CFM
Static Pressure: 0" - 1.5"



CONTINUED ON NEXT PAGE

CPV/CPS/CPS-A

Continuously Welded Scroll
LORENIZED® Steel
Aluminum or Steel Wheel
UL 762 Grease Laden
Air Available
Kitchen Exhaust
General Exhaust
Inside or Outside Mounting
Backward Inclined
Belt Drive
Wheel Sizes: 10" - 49"
Capacity: 50 - 53,550 CFM
Static Pressure: .25" - 5"



Optional integral curb cap and inlet box assembly accessory is designed to provide ease of installation, additional access and minimize performance losses in roof mounted installations. Shown in optional COOK Easy Clean Powder Coating.

REBEL

Spun Aluminum
Stamped Aluminum Prop
Low Profile
Flat Roof Base Available
General Supply or Exhaust
Direct Drive
Prop Sizes: 12" - 24"
Capacity: 200 - 5,800 CFM
Static Pressure: 0" - 1"




AIR CURTAIN

All Aluminum Outer Housing
Painted, Adjustable Intake Louver
Bottom Discharge with Adjustable
Flow Directing Vanes
1/2 HP, 120V, 1 PH Motor with
Thermal Overload Protection
Capacity up to 3,234 CFM/3,500 FPM



DB

Galvanized Steel
General Supply or Exhaust
Motor in Air Stream
Duct Mounted
Forward Curved
Belt Drive
Wheel Sizes: 8" - 18"
Capacity: 400 - 6,400 CFM
Static Pressure: 0" - 2.0"



For more information on these and other
COOK Products, visit lorencook.com



LOREN COOK COMPANY

2015 E. DALE STREET
SPRINGFIELD, MO 65803-4637

417.869.6474

FAX 417.862.3820

lorencook.com